

GymBeam s.r.o.

Rastislavova 93  
040 01 Kosice - mestská časť Juh  
Slovakia



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

## Certificate of analysis 26010213 - 014

Sample name : Magnesium Chelate Bisglycinate - GymBeam 90 caps  
Marking of sample : GB/09/01/2028/P 09/01/2028  
Customer No. : none  
Packaging : Commercial package  
Sample amount : 1 x 85,5 g  
Shipping of sample : Courier Service  
Sample entry : 27.02.2026  
Entrance temperature : Room temperature  
Sample taken : by sender  
Begin/end of analysis : 27.02.2026 / 11.03.2026

The test results apply only to the test items described in the report. No responsibility is accepted for the validity of the results if any data or information provided by the customer may affect them. Data provided by the customer are clearly identified. The laboratory assumes no responsibility for the sampling including minimum quantities unless it was carried out by samplers from a company within the GBA Group or on its behalf. In this case, the results apply to the sample as received. The test report may not be published or reproduced, in whole or in part, without the written consent of the issuing company. The general terms and conditions are available at <https://www.gba-group.com/en/general-terms-and-conditions/>.



Certificate of analysis : 26010213 - 014

Sample name : Magnesium Chelate Bisglycinate - GymBeam 90 caps

## Test Results

Chemical/Physical Test	Result	Unit	Declaration	± MU	MU[%]	MU Source
Magnesium	243	mg/ daily serving	225	36	15	I
Weight per dosage form	0,95	g		0,0095	1	VII
Daily serving	3	capsule(s)				

### Assessment:

Results of minerals analyses meet the details of the nutrition labelling regarding the tests carried out (cf. Guidance document of the EU Commission with regard to the setting of tolerances for nutrient values declared on a label in food supplements from December 2012).

Hamburg, 11.03.2026

*This test report is done automatically and is valid without signature.*

i. A. R. Rugo

(Certified Food Chemist / Customer Service)

## Methods

Parameter	Method	DR
Magnesium	§ 64 LFGB L 00.00-144, ICP-OES: 2019-07 <sup>a</sup> <sub>0</sub>	z
Pressure pulping	§ 64 LFGB L 00.00-19/1: 2015-06 <sup>a</sup> <sub>0</sub>	q
Weight per dosage form	HH-MA-M 10-030, gravimetric: 2021-11 <sup>a</sup> <sub>0</sub>	z

The methods marked with <sup>a</sup> are accredited methods of the performing laboratory.

Testing laboratory: <sub>0</sub>GBA Hamburg

### MU-Source:

I: According to DIN ISO 11352 as expanded, combined measurement uncertainty with k = 2 (95 %), sampling not included

VII: According to expert estimation

### Decision rules:

z: In conformity assessment, measurement uncertainty is disregarded and serves as informational data only.

q: The conformity assessment of qualitative measurement values (positive/negative, conforms/ does not conform) is performed without considering additional analytical measurands.

Certificate of analysis :26010213 - 014

Sample name :Magnesium Chelate Bisglycinate - GymBeam 90 caps