

GymBeam s.r.o.

Rastislavova 93  
040 01 Kosice - mestská časť Juh  
Slovakia



Contact person:  
Rebecca Rugo  
Phone +49 40 797172-435  
r.rugo@gba-group.de

### **Certificate of analysis 24054417 - 009**

Sample name : Creatin 100% monohydrate - lemon lime - GymBeam  
Marking of sample : 3724B5 092026  
Customer No. : Creatin 100% monohydrate - lemon lime - GymBeam  
Packaging : Commercial package/bag  
Sample amount : 1 x 250 g  
Shipping of sample : Courier Service  
Sample entry : 11.11.2024  
Entrance temperature : Room temperature  
Sample taken : by sender  
Begin/end of analysis : 11.11.2024 / 19.11.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 3

Certificate of analysis : 24054417 - 009

Sample name : Creatin 100% monohydrate - lemon lime - GymBeam

## Test Results

<i>Microbiological Test</i>	<i>Result</i>	<i>Unit</i>
Coliforms	<10	cfu/g
Salmonella	negative	/ 25 g
Yeasts / moulds		
Yeasts	<10	cfu/g
Moulds	<10	cfu/g

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Declaration</i>	<i>Max. level</i>
Lead	<0,020	mg/kg		3
Cadmium	<0,010	mg/kg		1
Mercury	<0,010	mg/kg		0,1
Creatine-monohydrate	74,5	g/100 g	83,3	

Maximum levels for food supplements according to VO (EU) 2023/915

### Assessment:

Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements (cat. 3.1.28; 3.2.21; 3.3.2) and melamine in food stuff (cat. 6.2.1).

Hamburg, 19.11.2024

i. A. H. Krug

(Certified Food Chemist / Customer Service)

*This test report is done automatically and is valid without signature.*

## Methods

<i>Parameter</i>	<i>Method</i>
Coliforms	ISO 4832: 2006-02 <sup>a</sup> <sub>0</sub>
Salmonella	DIN EN ISO 6579-1: 2020-08 <sup>a</sup> <sub>0</sub>
Yeasts / moulds	BIOKAR Diagnostics, Symphony-Agar BM20208/BM19108: 2022-11 <sup>a</sup> ; validated according to EN ISO 16140-2 against EN ISO 21527-1/-2 2008-11 <sub>0</sub>
Lead	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Cadmium	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Mercury	DIN EN 15763, ICP-MS: 2010-04 <sup>a</sup> <sub>5</sub>
Creatine-monohydrate	HH-MA-M 02-168, HPLC-DAD: 2021-07 <sup>a</sup> <sub>0</sub>

Certificate of analysis : 24054417 - 009

Sample name : Creatin 100% monohydrate - lemon lime - GymBeam

With <sup>a</sup> marked methods are accredited.

Testing laboratory: <sub>0</sub>GBA Hamburg <sub>5</sub>GBA Pinneberg